


CWF
clearworldfilters.com

> Chemical Compatibility Guide



Reviewed by: Rick Laan	Approved by: Bob Tessensohn	Issue: 2	Date: 06/04/2013
---------------------------	--------------------------------	-------------	---------------------

IMPORTANT NOTICE: READ FIRST

Clear World Filters has compiled the information in this document as only one possible source of information for the determination of the appropriate materials of construction to be used in process filtration applications. This document is intended to serve only as a guide for the selection of filter materials, as factors such as temperature, pH, concentration, exposure time and system differential pressure can have a material effect on these recommendations. Testing in accordance with the end user's safety guidelines is recommended. Due to the multitude of factors affecting chemical compatibility, the user is responsible for making the final selection of products and materials for an application. Please refer to the product data sheet for maximum temperature, pressure and flow rate recommendations for housings, cartridges and gaskets/o-rings.

This document should only be used by individuals with sufficient technical expertise and knowledge of the target application. Clear World Filters assumes no responsibility for the information provided. It is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Clear World Filters as to the effects of such use or the results to be obtained. Clear World Filters assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

INTERPRETATION OF THE DATA

For All Non-Metals

R = Resistant
A = Excellent – No effect
B = Good – Minor effect
C = Fair – Moderate effect

U = Unsatisfactory
X = Conflicting Data
– = No Data Available
*No corrosion rate reported

For Metals

E <2 mils Penetration/Year
G <20 mils Penetration/Year
S <50 mils Penetration/Year
U >50 mils Penetration/Year
(1 mil = .001 inch)

A = Excellent – No effect*
B = Good – Minor effect*
C = Fair – Moderate effect*

MORE INFORMATION

Clear World Filters
Plaza 23
4782 SL Moerdijk

Mailing address:
PO Box 43
4780 AA Moerdijk

Phone: +31 (0)88 3310000
E-mail: info@clearworldfilters.com

Chemical Compatibility Guide

For All Non-Metals

R = Resistant
 A = Excellent – No effect
 B = Good – Minor effect
 C = Fair – Moderate effect

U = Unsatisfactory
 X = Conflicting Data
 – = No Data Available

*No corrosion rate reported

For Metals

E <2 mils Penetration/Year
 G <20 mils Penetration/Year
 S <50 mils Penetration/Year
 U >50 mils Penetration/Year
 (1 mil = .001 inch)

A = Excellent – No effect*
 B = Good – Minor effect*
 C = Fair – Moderate effect*

REFERENCE PAGES

	Plastic										Elastopolymer							Metals										
	ABS	Acetal	CPVC	FEP	Nylon 6, 66	HDPE	Polypropylene	PTFE	PVC Type I	PVC Type II	PVDF	EPDM	Kel-F	Neoprene	Nitrile	Polyurethane	Silicone	Tygon®	Viton-A	Ceramic	Silica	304 Stainless	316 Stainless	Carbon Steel	Hastelloy-C	Aluminum	Brass	Copper
Acetaldehyde	U	A	U	R	U	U	A	A	U	U	X	A	A	C	U	U	A	U	U	-	R	E	E	G	E	G	U	U
Acetamide	-	A	-	R	R	R	A	A	U	-	C	A	A	B	A	U	B	U	B	-	-	G	G	-	-	G	-	-
Acetate Solvent	U	-	U	R	R	R	B	A	U	U	A	A	A	C	U	-	A	U	U	-	-	E	E	G	E	E	S	G
Acetic Acid 10%	X	X	C	R	U	R	B	A	U	-	C	A	A	C	C	-	C	U	R	A	R	E	E	U	E	G	U	G
Acetic Acid, Glacial	U	U	U	R	U	R	A	A	U	U	B	U	A	X	X	U	B	U	U	A	R	E	E	U	E	E	U	U
Acetone	U	A	U	R	R	R	A	A	U	U	U	A	A	U	U	U	B	U	U	A	R	E	E	G	E	E	G	E
Acetonitrile	U	-	-	R	R	-	R	R	-	-	R	R	-	-	-	-	-	-	-	-	-	G	G	G	-	E	G	G
Acetophenone	U	-	-	R	R	U	R	R	U	U	R	R	-	U	U	-	-	-	U	-	-	G	G	G	G	G	G	G
Acetyl Chloride	U	-	U	R	U	U	U	A	U	U	R	U	-	U	U	U	-	-	R	-	R	G	G	G	-	U	U	U
Acetylene	R	-	R	R	R	-	R	R	R	R	R	R	-	R	R	-	-	-	R	-	-	E	E	G	G	E	U	U
Acrylonitrile	U	-	X	R	R	R	A	A	X	U	A	X	-	C	U	-	U	-	U	-	-	G	G	G	G	E	G	G
Adipic Acid	R	-	A	R	-	R	B	A	R	R	A	A	A	B	X	-	U	-	X	-	-	G	G	G	E	G	-	G
Aldrin (1 oz./gal.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E	E	G	-	E	-	-
Allyl Alcohol	U	-	R	R	R	R	R	R	R	R	R	R	-	R	R	-	-	-	R	-	-	E	E	G	G	G	G	E
Allyl Chloride	U	-	U	R	-	R	R	R	U	U	R	U	-	U	U	-	-	-	-	-	R	G	E	U	-	U	-	-
Ammonium Acetate	-	-	A	R	A	-	A	A	R	R	R	A	-	A	B	-	-	A	A	-	-	G	G	-	-	G	U	U
Ammonium Oxalate 10%	-	-	-	R	-	-	R	R	R	-	-	R	-	-	-	-	-	-	-	-	-	G	G	U	E	E	-	U
Amyl Acetate	U	B	U	R	R	R	X	A	U	U	A	A	A	U	U	U	U	U	U	A	R	E	E	G	E	E	E	G
Amyl Alcohol	R	A	A	R	A	R	B	A	R	U	A	A	A	A	B	U	U	A	B	A	R	G	G	G	G	G	G	G
Amyl Chloride	U	-	U	R	U	U	U	R	U	U	U	R	-	U	U	-	-	-	R	-	-	G	G	U	E	U	G	G
Aniline	U	A	X	R	X	R	X	A	U	U	A	X	A	U	U	U	U	C	B	A	R	E	E	G	G	G	U	U
Aniline Hydrochloride	U	-	U	R	U	U	X	A	X	U	A	B	-	U	U	-	U	U	A	-	R	U	U	U	U	U	U	G
Antifreeze	B	U	A	-	U	-	U	-	A	-	-	A	-	C	A	-	C	B	A	-	-	-	A	-	-	A	-	-
Aroclor 1248	-	-	-	R	A	U	U	A	-	-	-	B	A	U	X	-	B	-	A	-	-	G	G	G	E	E	E	E
Asphalt	-	B	X	R	A	R	B	A	A	-	A	U	A	U	X	-	U	-	A	-	-	G	G	G	-	E	E	E
Benzaldehyde	X	A	U	R	A	U	X	A	U	U	A	A	A	U	U	U	U	U	U	A	R	G	G	U	G	G	G	G
Benzene	U	A	U	R	A	U	X	A	U	U	A	U	B	U	U	U	U	C	A	A	R	G	G	G	G	E	G	G
Benzo Sulfonic Acid 10%	R	-	R	R	U	R	R	R	R	R	R	U	-	R	U	U	-	-	R	-	R	G	G	U	G	U	G	-
Benzyl Alcohol	U	A	X	R	B	U	A	A	U	U	A	B	A	X	X	U	-	U	A	A	R	E	E	G	G	G	G	E
Benzoic Acid	R	B	A	R	X	B	R	A	R	R	A	U	A	B	U	U	B	A	A	A	R	G	G	U	E	G	G	G
Benzol	U	A	U	R	X	U	U	A	U	U	A	U	A	U	U	U	U	C	A	A	R	G	G	G	G	E	G	G
Benzonitrile	-	-	-	R	R	A	-	A	-	-	-	-	A	-	-	-	A	-	-	-	-	U	U	-	C	-	-	-
Benzyl Chloride	U	A	U	R	R	-	C	R	R	-	R	U	-	U	U	-	U	-	A	-	-	G	G	U	-	U	U	U
Bromobenzene	-	-	-	R	-	-	U	R	-	-	R	U	-	U	U	-	-	-	R	-	-	-	-	-	-	-	-	-
Butadiene	U	A	A	R	R	U	U	A	R	U	A	X	A	B	X	U	U	-	B	-	-	G	G	G	G	G	G	G

	Plastic										Elastopolymer							Metals										
	ABS	Acetal	CPVC	FEP	Nylon 6, 66	HDPE	Polypropylene	PTFE	PVC Type I	PVC Type II	PVDF	EPDM	Kel-F	Neoprene	Nitrile	Polyurethane	Silicone	Tygon®	Viton-A	Ceramic	Silica	304 Stainless	316 Stainless	Carbon Steel	Hastelloy-C	Aluminum	Brass	Copper
Butane	B	A	C	R	R	U	U	A	R	R	A	U	A	A	A	R	U	C	A	-	-	G	G	E	G	G	G	G
Butyl Alcohol	U	A	A	R	B	B	R	A	R	U	A	A	A	X	-	B	B	A	-	R	F	F	G	G	F	G	G	
n-Butyl Amine	-	X	U	R	R	U	U	A	U	U	X	-	U	U	R	-	B	U	U	-	-	-	G	G	G	G	-	-
Butyl Ether	-	U	U	R	A	-	-	A	R	-	A	U	A	U	B	-	U	A	U	-	-	-	F	E	-	F	-	-
Butyl Phthalate	U	-	U	R	-	-	U	R	U	U	R	-	-	U	-	-	-	U	-	-	G	F	-	G	G	-	-	-
Butyl Phthalate	-	-	U	R	R	-	R	R	R	-	R	B	A	D	U	-	A	-	C	-	-	G	G	-	G	U	G	G
Butylacetate	U	A	X	R	A	R	X	A	U	U	B	B	A	X	U	-	U	U	U	-	R	G	G	G	G	E	G	G
Butyric Acid	U	A	U	R	U	U	R	R	U	U	A	B	A	U	U	-	U	U	B	-	R	G	G	U	E	G	G	G
Carbon Tetrachloride	U	B	U	R	X	U	U	R	U	U	R	U	A	U	U	U	U	B	A	A	R	E	E	G	E	U	G	E
Carbonic Acid	R	B	A	R	R	R	A	A	R	R	A	B	A	X	X	R	A	-	A	A	-	G	G	G	E	E	G	G
Chloroacetic Acid	U	U	U	R	U	U	C	A	R	R	A	B	A	U	U	U	A	U	-	-	U	U	U	E	U	U	U	
Chlorobenzene	U	X	U	R	R	U	U	B	U	U	A	U	A	U	U	-	U	A	A	A	R	G	G	G	E	G	G	G
Chlorobromomethane	-	-	-	-	C	-	A	A	U	-	-	B	-	U	U	-	U	-	A	A	-	-	-	-	-	B	-	-
Chlordane (¼ lb./gal.)	U	-	-	-	-	-	-	R	-	-	-	U	-	C	B	-	U	-	A	-	-	G	G	G	-	-	-	-
Chloroethane	U	A	U	R	R	R	X	A	U	U	A	X	A	U	U	-	U	-	B	-	-	G	G	G	-	-	-	G
Chloroform	U	A	U	R	R	U	X	A	U	U	A	U	B	U	U	U	U	B	A	A	R	E	E	U	G	G	G	G
Chloronaphthalene	U	-	-	-	-	-	-	-	R	-	-	-	-	U	U	-	-	-	-	-	-	-	G	-	E	U	-	-
Chlorophenol 5% (aq.)	-	R	U	R	U	-	-	R	U	U	R	-	-	-	-	-	-	-	-	-	-	G	G	S	E	-	-	-
Citric Acid	U	B	B	R	R	A	A	A	R	-	A	A	A	A	-	A	-	A	A	A	R	E	E	U	E	E	-	E
Cresol	U	U	U	R	U	U	U	R	X	U	R	U	A	U	U	U	U	X	-	R	E	G	G	G	G	-	-	-
Cresylic Acid 50%	U	U	U	R	U	R	X	R	R	R	R	X	-	U	U	U	U	-	A	-	-	G	G	G	G	G	-	-
Crude Oil	R	R	R	R	R	U	R	U	U	U	U	U	-	U	R	R	-	-	R	-	-	E	E	G	E	E	G	G
Cyclohexane	R	A	U	R	R	R	U	A	X	-	R	U	A	U	B	R	U	U	A	-	-	G	G	G	G	G	G	G
Cyclohexanone	U	A	U	R	R	U	U	A	U	U	R	B	U	U	U	-	U	U	U	A	-	G	G	U	G	G	G	G
DDT 5%	-	-	U	-	-	-	-	-	U	U	-	-	-	-	-	-	-	-	-	-	-	E	E	G	-	E	-	-
Detergents (general)	B	A	A	R	R	R	A	A	R	R	A	A	A	B	A	-	A	A	A	A	-	E	G	G	E	G	G	E
Diacetone Alcohol	-	A	U	R	R	R	R	A	R	-	A	A	B	U	U	-	U	B	U	-	-	G	G	G	E	E	E	E
Dibutyl Phthalate	U	-	U	R	R	U	R	R	U	U	U	R	-	U	U	U	-	-	U	-	-	G	G	G	G	G	G	G
Dichlorobenzene	U	-	U	R	X	U	C	A	U	U	A	U	-	U	U	-	U	-	C	-	-	-	G	-	E	G	-	-
Dichloroethane	U	A	U	R	R	R	X	A	U	U	A	U	A	U	U	-	-	U	C	A	R	G	G	G	G	G	G	-
Dichloroethylene	U	-	-	R	R	-	R	R	U	U	R	U	-	U	U	-	-	-	R	-	-	G	G	-	G	G	-	-
Dichlorofluoromethane	-	-	-	R	-	-	-	R	U	U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diesel Fuel	-	A	A	R	R	R	A	A	R	-	A	U	A	B	A	-	U	-	A	-	-	E	E	G	G	E	E	-
Diethanolamine	-	-	-	R	R	-	R	R	U	U	U	-	-	R	-	-	-	-	-	-	-	E	E	E	E	E	-	G
Diethyl Amine	U	B	U	R	R	U	A	X	U	-	X	B	A	A	C	-	B	C	A	-	-	G	G	U	-	G	-	-
Diethyl Ether	U	R	U	R	R	U	R	A	U	U	R	U	C	U	U	-	U	-	U	-	-	G	G	G	G	G	G	G
Diethyl Phthalate	-	-	-	-	-	-	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diethylene Glycol	B	A	A	R	R	R	A	A	X	-	A	A	-	A	A	-	B	C	A	-	-	E	E	E	G	G	-	G
Dimethyl Aniline	U	U	U	R	R	-	X	A	U	U	A	B	A	U	U	-	U	U	U	-	-	B	B	-	B	A	-	-
Dimethyl Ether	-	-	-	R	-	-	-	R	-	-	-	-	-	U	R	-	-	-	-	-	-	G	G	-	G	-	G	G
Dimethyl Formamide	U	X	U	R	R	R	A	X	U	U	U	X	A	X	U	-	C	U	X	-	-	-	G	U	-	E	-	-
Dimethyl Phthalate	U	-	-	R	R	-	R	R	U	U	R	-	-	U	U	-	-	-	R	-	-	E	E	E	-	E	-	-
Dimethyl Sulfoxide	-	R	U	R	R	R	R	R	U	-	U	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dinitrotoluene	-	-	-	-	-	-	-	R	-	-	-	U	-	U	U	-	U	-	X	-	-	G	G	-	-	-	-	-
Diocetyl Phthalate	U	-	U	R	R	U	U	R	U	U	R	R	-	U	U	U	-	-	R	-	-	G	G	G	-	E	-	-
Dioxane	U	R	-	R	R	U	R	R	U	-	U	U	-	U	U	-	-	-	U	-	-	G	G	G	G	G	G	G
Diphenyl	-	-	-	R	R	-	U	A	U	-	-	U	-	B	U	R	U	-	A	-	-	G	G	G	G	G	G	G
Diphenyl Oxide	-	U	-	-	-	-	U	A	U	-	B	U	-	U	A	-	C	U	A	-	-	B	A	-	B	B	-	A
Esters (general)	-	-	U	R	R	-	-	R	U	U	R	-	-	-	-	-	-	-	-	-	-	-	G	-	-	-	-	-

REFERENCE PAGES

	Plastic										Elastopolymer							Metals										
	ABS	Acetal	CPVC	FEP	Nylon 6, 66	HDPE	Polypropylene	PTFE	PVC Type I	PVC Type II	PVDF	EPDM	Kel-F	Neoprene	Nitrile	Polyurethane	Silicone	Tygon®	Viton-A	Ceramic	Silica	304 Stainless	316 Stainless	Carbon Steel	Hastelloy-C	Aluminum	Brass	Copper
Ethane	-	A	A	-	U	-	U	A	A	-	A	U	-	B	A	-	U	A	A	-	-	A	A	-	-	-	-	A
Ethanolamine	-	U	U	R	R	-	X	A	U	-	X	B	U	B	B	-	B	-	U	A	-	E	E	G	G	G	-	-
Ethers (general)	U	A	U	-	R	U	U	A	U	U	R	C	B	U	X	-	U	C	X	-	R	E	E	G	G	G	G	G
Ethyl Acetate	U	A	U	R	R	R	A	A	U	U	X	B	A	U	U	U	B	U	U	A	R	G	G	G	G	-	G	G
Ethyl Alcohol	B	A	B	R	R	R	A	A	R	R	R	A	B	A	C	U	B	C	A	A	R	G	G	G	E	E	G	G
Ethyl Benzene	-	R	-	R	-	U	U	R	U	U	R	U	-	U	U	-	-	-	R	-	-	S	G	U	E	G	-	-
Ethyl Benzoate	U	-	U	-	-	U	B	A	U	-	U	-	-	U	U	-	U	U	A	-	-	-	-	-	-	-	-	-
Ethyl Chloride	U	R	U	R	R	U	U	R	U	U	R	R	-	U	R	U	-	-	B	-	R	E	E	G	G	-	-	G
Ethyl Ether	U	A	U	R	R	U	U	A	U	U	R	U	A	U	X	U	U	-	U	-	R	G	G	G	G	G	G	G
Ethyl Sulfate	-	-	-	-	-	-	-	A	-	-	-	-	A	-	A	-	-	-	A	-	-	U	U	-	-	-	-	B
Ethylene Bromide	U	-	U	R	R	U	U	A	U	U	A	X	B	X	U	-	U	U	A	-	-	E	E	-	E	-	-	-
Ethylene Chloride	U	A	U	R	R	R	X	A	U	U	A	X	A	U	U	-	U	-	B	-	-	G	G	G	-	-	-	G
Ethylene Chlorohydrin	U	U	U	R	U	U	X	A	U	U	A	B	-	X	U	U	C	U	A	-	-	G	G	G	G	G	G	G
Ethylene Diamine	U	X	U	R	U	-	R	A	U	U	B	A	U	X	A	-	A	-	B	-	-	G	G	G	U	G	U	U
Ethylene Dibromide	-	-	-	R	-	-	R	R	-	-	R	-	-	-	-	-	-	-	-	-	-	-	G	-	G	-	G	-
Ethylene Glycol	A	B	A	R	R	R	A	A	R	R	A	A	A	A	R	A	B	R	A	A	-	G	G	G	E	E	G	G
Ethylene Oxide	U	U	X	R	R	R	U	A	U	U	A	X	C	U	U	U	U	-	U	-	R	G	G	G	E	E	U	-
Formaldehyde 100%	B	A	A	-	U	-	C	A	A	-	A	A	A	C	C	-	B	B	U	-	-	C	A	-	A	A	-	A
Formaldehyde 37%	A	A	A	R	R	R	A	A	R	R	A	A	A	B	X	U	-	-	R	-	R	E	E	U	G	G	E	G
Formic Acid 5%	-	U	R	R	U	R	R	R	R	-	R	R	-	R	U	-	-	-	R	-	-	G	E	-	E	U	S	E
Fuel Oils	U	A	-	R	R	R	A	B	R	R	B	U	A	B	X	R	U	A	A	-	-	G	G	G	G	G	G	G
Gasoline (high-aromatic)	U	B	A	-	-	-	A	B	A	-	A	U	A	A	A	-	U	A	A	A	-	A	A	-	A	U	-	-
Gasoline (leaded)	U	A	U	R	R	U	X	A	R	-	A	U	A	B	A	R	U	C	A	A	-	G	G	G	E	G	G	G
Gasoline (unleaded)	U	A	X	R	R	U	X	A	R	-	A	U	A	B	A	R	U	C	A	-	-	G	G	G	E	G	G	G
Glycolic Acid	B	A	A	R	-	R	A	A	R	R	B	A	B	A	A	-	A	A	A	-	-	G	G	U	G	G	-	-
Heptane	X	A	A	R	R	R	C	A	R	R	A	U	A	B	A	U	U	B	A	-	-	G	G	G	E	G	G	G
Hexachloroethane	-	-	-	-	-	-	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	G	G	-	G	G	S	G
Hexamine	-	-	-	R	-	-	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	E	E	-	E	E	G	-
Hexane	U	A	B	R	R	U	B	A	R	R	A	U	A	B	A	R	U	U	A	-	-	E	E	G	E	G	G	-
Hexyl Alcohol	-	A	-	-	A	-	-	A	A	-	-	C	-	A	A	-	B	A	C	-	-	A	A	-	A	A	-	-
Hydraulic Oil (petro.)	-	B	-	-	A	-	U	A	A	-	A	U	-	A	A	-	B	A	A	-	-	A	A	-	A	A	A	A
Hydraulic Oil (synthetic)	-	-	-	-	A	-	U	A	A	-	A	A	-	A	U	-	B	A	A	-	-	A	A	-	A	A	A	A
Hydrazine	-	B	U	-	-	U	C	C	-	-	A	A	-	B	B	-	B	-	A	-	-	A	A	-	-	-	-	A
Hydrogen Peroxide (dilute)	R	R	U	R	R	R	R	R	R	-	R	R	-	U	R	-	-	-	R	-	-	G	G	U	E	E	U	U
Hydroquinone	X	A	A	R	U	-	A	A	R	R	R	U	-	A	X	-	-	-	B	-	-	G	G	G	G	G	G	-
Hydroxyacetic Acid 70%	-	A	A	-	-	-	-	A	U	-	A	A	-	A	A	-	-	-	A	-	-	-	-	-	-	-	-	-
Iodoform	-	-	-	R	-	-	R	C	-	-	C	A	-	A	U	-	-	C	R	-	R	E	E	U	U	G	-	G
Isobutyl Alcohol	B	A	-	-	A	-	A	A	A	-	-	A	-	A	B	-	A	A	A	-	-	-	-	-	-	-	-	-
Isooctane	-	-	-	-	A	B	A	A	A	-	A	U	A	B	A	-	U	A	A	-	-	A	A	-	-	A	A	-
Isopropyl Acetate	U	U	U	R	R	R	B	A	U	U	X	B	-	U	U	-	U	-	U	-	-	E	G	E	G	G	-	-
Isopropyl Alcohol	R	A	C	R	U	R	A	A	R	R	R	A	-	B	B	U	A	A	A	A	-	G	G	G	G	G	G	G
Isopropyl Ether	-	U	R	R	R	-	X	A	R	R	X	U	A	U	B	R	U	A	U	-	-	E	G	-	-	-	G	G
Isotane	-	-	-	-	U	-	U	-	A	-	A	-	-	U	A	-	-	-	-	A	-	-	-	-	-	U	-	-
Jet Fuel JP-4, JP-5	-	A	R	R	R	-	A	A	R	R	A	U	A	U	A	U	U	A	A	-	-	G	G	G	E	G	E	-
Kerosene	X	A	R	R	R	R	R	A	R	R	A	U	A	A	A	U	U	U	A	A	-	G	G	G	G	G	G	G
Lacquer Thinners	A	U	-	-	A	-	U	A	U	-	-	U	-	U	U	-	U	U	U	-	-	-	G	-	-	G	-	-
Lacquers	A	U	-	-	A	-	U	A	U	-	U	U	-	U	U	-	U	A	U	-	-	E	E	-	-	-	-	-
Lactic Acid	U	B	A	R	R	-	B	A	R	R	B	A	A	A	X	-	A	A	A	A	-	G	G	U	G	G	G	G
Lead Acetate	B	B	A	R	R	R	A	A	R	R	A	A	A	A	B	-	A	B	U	A	-	G	G	U	G	U	U	G

	Plastic										Elastopolymer							Metals										
	ABS	Acetal	CPVC	FEP	Nylon 6, 66	HDPE	Polypropylene	PTFE	PVC Type I	PVC Type II	PVDF	EPDM	Kel-F	Neoprene	Nitrile	Polyurethane	Silicone	Tygon®	Viton-A	Ceramic	Silica	304 Stainless	316 Stainless	Carbon Steel	Hastelloy-C	Aluminum	Brass	Copper
Linoleic Acid	A	B	A	R	U	U	B	A	R	R	A	U	-	U	B	-	B	A	B	-	-	G	G	U	G	G	U	U
Maleic Acid	R	A	A	R	X	R	R	A	R	R	A	X	-	U	U	-	-	C	A	-	R	G	G	U	G	-	G	-
Malic Acid	R	A	R	R	X	R	A	A	R	R	A	U	-	X	A	-	B	A	A	-	-	E	E	U	G	G	-	U
Melamine	-	A	A	-	A	-	A	A	U	-	-	A	-	U	C	-	C	U	A	-	-	-	U	-	-	-	-	-
Methane	-	A	-	R	R	-	A	A	R	R	A	X	-	B	A	-	U	-	A	-	-	E	E	G	E	E	E	G
Methyl Acetate	U	X	U	R	R	R	X	A	U	U	B	X	A	X	U	-	U	A	U	-	-	G	G	S	E	G	-	-
Methyl Acetone	-	U	-	-	A	-	-	A	U	-	U	A	-	U	U	-	-	A	U	-	-	A	A	-	-	A	A	-
Methyl Acylate	-	B	-	-	-	-	U	-	-	-	B	B	-	B	U	-	U	-	U	-	-	A	-	-	-	-	-	-
Methyl Alcohol	U	A	A	R	R	R	A	A	R	R	A	A	A	A	A	U	A	A	U	A	R	G	G	G	E	G	G	G
Methyl Alcohol 10%	U	A	A	-	B	B	A	A	-	-	A	A	A	A	A	-	A	A	A	A	-	-	-	-	-	-	-	-
Methyl Amide	U	U	-	-	-	-	A	A	U	-	C	A	A	-	B	-	-	U	U	-	-	A	A	-	-	A	U*	-
Methyl Bromide	U	U	U	R	U	R	X	A	U	U	A	U	-	U	B	-	-	-	A	-	-	G	G	G	-	U	-	-
Methyl Butyl Ketone	-	U	-	-	U	U	U	-	-	-	U	A	-	U	U	-	U	-	U	-	-	A	A	-	-	-	-	-
Methyl Chloride	U	B	U	R	R	U	U	A	U	U	A	U	A	U	U	U	U	U	A	-	-	E	E	U	G	U	E	G
Methyl Chloroform	U	-	U	R	-	-	U	R	U	U	R	U	-	U	U	-	-	-	R	-	-	-	-	-	-	-	-	-
Methyl Dichloride	-	U	-	-	C	-	U	-	-	-	U	U	-	-	U	-	-	-	A	-	-	-	-	-	-	-	-	-
Methyl Ethyl Ketone	U	U	U	R	R	U	B	A	U	U	U	A	A	U	U	U	U	U	U	A	-	G	G	G	G	G	G	G
Methyl Isopropyl Ketone	-	-	-	-	A	-	-	A	U	-	-	C	-	U	U	-	C	-	U	-	-	A	A	-	-	A	-	A
Methyl Methacrylate	-	U	R	R	-	-	X	R	R	U	B	U	-	U	U	-	C	-	U	-	-	G	G	U	-	G	-	-
Methyl Pentanone	U	-	U	R	R	R	R	A	U	U	X	B	A	U	U	-	U	-	U	-	-	G	G	G	G	G	G	G
Methylene Chloride	U	B	U	R	U	U	B	A	U	U	B	X	A	U	U	U	-	U	B	-	R	G	G	G	E	E	G	G
Monochloroacetic Acid	-	U	-	-	U	U	-	A	-	-	B	C	B	A	U	-	-	-	C	-	-	A	A	-	A	U*	B	U*
Monoethanolamine	-	U	-	R	R	-	B	A	U	U	U	B	-	X	B	-	B	-	X	-	-	E	E	G	G	G	G	G
Motor Oil	C	B	A	R	R	U	U	A	R	R	B	U	A	B	A	-	-	A	R	A	-	G	G	G	-	-	G	G
Napthalene	U	X	U	R	R	U	R	A	U	U	A	U	A	U	U	R	U	C	A	A	-	E	E	G	G	G	G	G
Nitrobenzene	U	X	U	R	R	U	B	A	U	U	A	U	A	U	U	U	U	U	B	-	R	G	G	G	G	E	G	G
Nitromethane	U	A	U	R	U	-	R	A	R	R	A	B	A	U	U	-	U	B	U	-	-	G	G	G	-	G	-	-
Nitrophenol	-	-	-	-	-	-	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	G	G	-	-	G	-	G
Octane	-	-	-	R	-	R	R	R	U	U	R	U	-	R	R	-	-	-	R	-	-	-	G	G	-	G	G	G
Octyl Alcohol	A	A	B	-	A	-	-	-	-	-	-	B	-	B	B	-	B	-	B	-	-	A	A	-	C	A	-	A
Oleic Acid	X	A	A	R	R	U	B	A	R	R	A	B	B	X	B	R	U	C	B	A	-	E	E	G	G	G	S	G
Oxalic Acid 5%	R	U	R	R	U	R	R	R	R	R	R	R	-	R	U	-	-	-	R	-	-	U	G	U	G	G	S	G
Palmitic Acid 10%	A	A	A	R	R	R	B	A	R	R	A	B	-	U	A	R	U	B	A	-	-	-	G	-	-	G	G	G
Pentachlorophenol	-	-	-	-	-	-	-	R	-	-	-	-	-	-	-	-	-	-	R	-	-	-	-	E	-	-	-	-
Pentane	-	B	-	-	A	-	U	A	A	-	A	U	-	B	A	-	U	A	A	-	-	C	C	-	A	B	-	-
Petroleum	B	B	A	R	-	U	B	A	R	-	A	U	-	B	A	-	U	-	A	-	-	G	G	-	-	G	G	G
Phenol 10%	U	X	A	R	U	R	B	A	U	U	A	B	B	U	U	U	U	C	A	A	-	G	G	G	G	E	G	G
Phthalic Acid	B	C	X	R	R	-	A	A	U	U	A	A	-	A	U	-	B	-	A	-	-	G	E	S	G	G	G	G
Phthalic Anhydride	B	C	U	R	-	-	U	A	U	-	A	A	-	A	U	-	-	B	A	-	-	E	E	G	E	E	G	-
Picric Acid	X	A	U	R	U	U	A	A	U	U	A	A	-	A	X	-	B	-	A	-	R	G	G	U	G	E	U	U
Propyl Alcohol	X	A	A	R	U	R	A	A	R	R	A	A	A	A	A	-	A	A	A	A	-	E	E	G	E	G	G	G
Propylene	B	-	-	-	-	-	-	A	B	-	-	U	-	U	U	-	U	B	A	-	-	B	A	-	-	A	-	A
Propylene Glycol	B	B	X	R	R	R	A	A	U	U	A	A	-	C	A	-	A	-	A	A	-	G	G	G	G	G	G	G
Propylene Oxide	-	-	-	R	-	R	R	R	U	U	U	R	-	U	U	-	-	-	U	-	-	E	E	-	-	-	-	-
Pyridine	-	B	U	R	R	R	A	A	U	U	U	X	A	U	U	-	U	U	U	A	-	G	G	G	E	G	G	G
Sodium Acetate	B	B	A	R	R	R	A	A	R	R	A	A	A	B	B	-	U	-	U	A	-	G	G	U	G	E	G	G
Sodium Benzoate	A	-	A	R	R	R	A	A	R	R	A	A	-	A	B	-	-	B	A	-	-	-	-	-	G	G	-	E
Sodium Hypochlorite 20%	R	U	R	R	U	R	R	R	R	R	R	R	A	U	U	-	B	C	A	-	U	U	U	U	G	G	S	
Stearic Acid	U	A	B	R	R	R	A	A	R	R	A	X	-	B	B	R	B	B	A	-	R	G	E	S	E	G	S	G

REFERENCE PAGES

	Plastic										Elastopolymer							Metals										
	ABS	Acetal	CPVC	FEP	Nylon 6, 66	HDPE	Polypropylene	PTFE	PVC Type I	PVC Type II	PVDF	EPDM	Kel-F	Neoprene	Nitrile	Polyurethane	Silicone	Tygon®	Viton-A	Ceramic	Silica	304 Stainless	316 Stainless	Carbon Steel	Hastelloy-C	Aluminum	Brass	Copper
Styrene	-	A	U	-	A	U	-	A	U	-	-	U	-	U	U	-	U	-	B	-	-	A	A	-	U*	A	A	B
Tartaric Acid	-	B	A	-	B	-	A	A	A	-	B	B	A	A	A	-	A	B	A	A	-	C	C	-	B	B	U*	A
Tetrachloroacetic Acid	R	-	R	R	R	R	R	R	R	R	U	-	R	R	R	-	-	R	-	-	E	E	-	G	G	S	U	
Tetrachloroethane	-	A	X	R	R	-	C	A	U	U	A	U	A	U	U	-	U	-	A	-	R	E	E	E	E	G	-	S
Tetrachloroethylene	U	A	U	R	R	U	U	A	U	U	R	U	A	U	U	U	U	-	A	-	-	E	E	G	G	G	G	G
Tetrachlorophenol	-	-	-	-	-	-	R	R	-	-	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetraethyl Lead	U	-	R	R	-	U	R	R	R	R	R	U	-	-	U	-	-	-	R	-	-	G	G	G	-	G	G	-
Tetrahydrofuran	U	A	U	R	R	U	C	A	U	U	B	U	A	U	U	-	U	-	X	A	-	E	G	E	E	U	-	-
Toluene	U	X	U	R	R	U	C	A	U	U	A	U	B	U	X	U	U	U	C	A	-	E	E	E	E	E	E	E
Toxaphene-Xylene 10-90%	-	-	U	R	-	-	R	R	U	-	-	-	-	-	-	-	-	-	-	-	-	G	G	S	-	S	-	-
Trichloroacetic Acid	-	-	R	R	U	R	A	A	R	-	B	B	A	U	R	-	U	C	C	A	-	U	U	U	G	U	G	G
Trichlorobenzene	-	-	-	-	-	-	-	R	U	-	-	-	-	U	U	U	-	-	R	-	-	-	-	E	-	-	-	-
Trichloroethane	-	A	-	-	-	-	C	A	C	-	A	U	A	U	U	-	U	-	A	-	-	-	-	-	-	-	-	-
Trichloroethylene	U	U	U	R	R	U	C	A	U	U	B	U	A	U	U	U	U	-	X	A	-	G	G	G	E	E	G	G
Trichlorofluoromethane	-	-	-	-	-	-	-	-	U	-	-	-	-	U	U	-	-	-	-	-	-	-	G	-	-	G	-	-
Trichloropropane	U	A	-	-	-	-	-	A	-	-	-	-	A	A	U	-	-	U	A	-	-	A	A	-	A	U*	-	A
Triethanolamine	R	U	R	R	R	U	R	R	U	U	R	R	-	R	U	U	-	-	R	-	-	G	G	G	G	G	U	E
Triethylamine	U	U	A	R	R	-	U	A	R	R	A	A	A	A	C	-	-	A	X	B	-	G	G	-	-	-	-	-
Trimethylpropane	U	-	R	R	-	-	U	R	R	R	R	-	-	-	R	R	-	-	-	-	-	-	-	-	-	-	-	-
Turpentine	U	A	A	R	R	U	X	A	X	U	A	U	A	U	R	U	U	B	A	A	-	E	E	G	G	G	S	G
Vinyl Acetate	U	-	U	R	-	U	B	A	U	U	A	B	-	X	X	-	U	U	A	B	-	E	E	G	E	E	G	-
Vinyl Chloride	U	-	U	-	A	-	-	A	U	-	B	C	-	U	U	-	-	U	A	A	-	B	A	-	A	B	-	B
White Liquor (pulp mill)	X	U	R	R	R	-	R	R	R	R	R	R	-	R	R	-	-	-	R	-	-	G	G	S	G	G	-	-
White Water (paper mill)	R	B	-	-	R	-	R	-	R	-	-	-	-	A	-	-	-	-	A	-	-	A	A	-	-	-	-	-
Xylene	U	A	U	R	R	U	B	A	U	U	A	U	A	U	U	U	U	U	X	A	-	G	G	G	E	G	G	G

This table should only be used as a guide since it is difficult to duplicate operating conditions. To fully guarantee the suitability of a particular material, chemical resistance tests should be conducted under actual operating conditions.

No data was found on the following environmentally important chemicals:

Acenaphthene*	Chloromethylether	Fluoranthene*
Acenaphthalene*	Chlorophenylphenylether	Fluorene*
Acrolein	Chrysene*	Heptachlor**
Anthracene*	DDD**	Hexachlorobenzene
Benzidine	DDE**	Hexachlorobutadiene
Benzo(a)anthracene*	Dichlorobenzidine	Hexachlorocyclohexane
Benzo(b)fluoranthene*	Dichlorobromomethane	Indeno(1,2,3-c,d)pyrene*
Benzo(g,h,i)perylene*	Dichlorophenol	Isophorone
Benzo(a)pyrene*	Dichlorophenoxyacetic Acid	2-Methylnapthalene
Bromophenylphenylether	Dichloropropane	Parachlorometa Cresol
Butylbenzylphthalate	Dichloropropylene	Phenanthrene*
Chlorodibromomethane	Dieldrin**	Phenylene-pyrene
Chloroethoxymethane	Dinitrophenol	Pyrene*
Chloroethylether	Diphenylhydrazine	Trichlorophenol
Chloroethylvinylether	Endosulfan	Trichlorophenoxyacetic Acid
Chloroisopropylether	Endrin**	

* Component of cresotoid and coal tar. At room temperature and below, these compounds are solid in pure form.

** Pesticides